

THREAT DETECTION THROUGH ELECTROMAGNETICS

OPENGATE™

**AUTOMATIC SCREENING
OF PEOPLE WITH LUGGAGE,
BACKPACKS, AND BAGS
FOR THREAT DETECTION**



www.ceia-usa.com

INTRODUCTION

OPENGATE is a **Groundbreaking Weapons Detection System** designed for the automatic screening of people in transit, including their luggage, backpacks, and bags, for the detection of **Mass Casualty Metal Threats**, such as high caliber assault weapons and IED devices

- ✓ **OPENGATE is the first wire-free, screening portal** consisting of **two independent and self-powered pillars**, with each pillar equipped with a support base and electronic analysis system.
- ✓ Contrary to Metal Detector Gates, **OPENGATE does not require a mechanical and electrical connection** between the two transducers that define the passageway.
- ✓ **Acoustic and optical signals**, located at the top of the pillars, provide simultaneous status and alarm indications.
- ✓ **OPENGATE features a near zero rate of nuisance alarms**, and operates with **very high transit flow**, without the need for the divestiture of non-threat items.
- ✓ It is **portable, elegant, easy to set up and ready to use with no installation required**, including the setting and assembly of mechanical and electrical parts.
- ✓ Its structure makes it **suitable for indoor and outdoor operations**, even in conditions of exposure to rain and sunlight, in all environmental conditions that are compatible with security screening operations.
- ✓ The **extreme portability allows quick relocation of the gate**, offering the most suitable solution for places where, for safety reasons, the checkpoint must be moved from obstructions after use.
- ✓ If required, the **detection and signaling parameters can be easily set via the OPENGATE App**, designed for smartphones or tablets.



HIGHLIGHTS

- **DETECTION TARGET**

Mass casualty shooting weapons and IED

- **OPERATIONAL USE**

Extremely high throughput with near-zero nuisance alarms, provides automatic screening and pre-screening of non-divested people along with their carry-on items

- **APPLICATIONS**

- Metro and railway stations
- Airport and port terminal entrances
- Convention centers
- Museums
- Stadiums
- Arenas
- Theaters
- Theme parks
- In general all places open to the public characterized by high footfall events or time restricted ingress

- **EASY TO RELOCATE AND QUICK TO INSTALL**

Is only 25 pounds with less than 1 minute setup time and does not require adjustments or the assembly of mechanical and electrical parts

- **INDOOR AND OUTDOOR OPERATIONS**


- **READY TO SHIP NOW**




OPENGATE™ APP

Detection and signaling parameters can be easily set via the OPENGATE App, designed for smartphones or tablets based on Android or iOS operating systems

✓ OPERATIVE SCREEN ✓ USER PARAMETERS



• 360° VISUAL ALARM INDICATION



• EASY TO RELOCATE AND QUICK TO INSTALL



• CARRYING HANDLE



- A** ON / OFF SWITCH
- B** BATTERY COMPARTMENT (2x)
- C** TILT ADJUSTMENT FEET



- DIMENSIONS (WxDxH): 19.7" x 11.8" x 72" mm
- WEIGHT (without batteries): 24.2 lbs
- OPERATING TIME (4 batteries): up to 14 hours
- CHARGING TIME (2 batteries): 130 min



CEIA USA Ltd - 6336 Hudson Crossing Parkway, Hudson OH 44236
 P 330-405 3190 • F 330-405 3196 • E security@ceia-usa.com • CALL (833) 224-2342 (CEIA)

CEIA USA reserves the right to make changes, at any moment and without notice, to the models (including programming), their accessories and options, to the prices and conditions of sale. DP060K0096v3000uUS